

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) Method, comprising:
obtaining at least one property ~~properties~~-related to at least one of a number of different types of data connections accessible from a mobile terminal device, wherein said at least one data connection can be used by at least one software application of said mobile terminal device; and
adapting in said mobile terminal device said at least one software application by configuring it in one of pre-configured configurations ~~a connectivity configuration of said at least one software application of said mobile terminal device~~ in accordance with said obtained at least one property ~~properties~~ of one of said at least one of a number of different types of data connections accessible from said mobile terminal device, wherein said pre-configured ~~connectivity~~ configuration relates to a use of said at least one data connection by said software application.
2. (Currently Amended) Method according to claim 1, wherein an ~~the only~~ available property comprises the identification of said data connection.
3. (Previously Presented) Method according to claim 1, wherein said properties are obtained when a specific data connection is selected.
4. (Previously Presented) Method according to claim 1, wherein said at least one accessible data connection is a potentially accessible data connection.
5. (Previously Presented) Method according to claim 1, further comprising determining actually accessible data connections, and wherein said properties are obtained during said determination.

6. (Currently Amended) Method according to claim 1, further comprising determining active software applications, and adapting ~~connectivity~~ pre-configured configurations of said determined active software applications.
7. (Previously Presented) Method according to claim 1, further comprising starting said software application on a mobile terminal device prior to obtaining said properties.
8. (Previously Presented) Method according to claim 1, further comprising detecting a data transfer to be performed by said software application, prior to obtaining said properties.
9. (Previously Presented) Method according to claim 1, further comprising selecting an appropriate data connection.
- 10-11. (CANCELED)
12. (Currently Amended) A computer readable storage medium having a stored ~~embedded with a~~ computer program, comprising programming code for:
 - obtaining at least one property ~~properties~~-related to at least one of a number of different types of data connections accessible from a mobile terminal device, wherein said at least one data connection can be used by at least one software application of said mobile terminal device; and
 - adapting in said mobile terminal device said at least one software application by configuring it in one of pre-configured configurations ~~a connectivity configuration of said at least one software application of said mobile terminal device~~ in accordance with said at least one obtained property ~~properties~~ of one of said at least one of a number of different types of data connections accessible from said mobile terminal device, wherein said ~~connectivity~~ pre-configured configuration relates to a use of said at least one data connection by said software application.

13. (Currently Amended) Apparatus, comprising:

means for accessing at least one data connection of a number of different types of data connections;

means for running at least one software application, wherein said at least one data connection ~~can be used~~ is usable by said at least one software application;

means for obtaining at least one property ~~properties~~ related to said at least one data connection;

means for storing pre-configured configurations of said at least one software application for said at least one accessible data connection, and

means for adapting in a mobile terminal device said at least one software application by configuring it in one of pre-configured configurations ~~a connectivity configuration of said at least one software application~~ according to said at least one obtained property ~~properties~~ of one of said at least one data connection, wherein said ~~connectivity~~ pre-configured configuration relates to a use of said at least one data connection by said at least one software application.

14. (Previously Presented) Apparatus according to claim 13, further comprising means for selecting one of said at least one accessible data connections.

15-20. (CANCELED)

21. (Currently Amended) Apparatus, comprising:

a data exchanger configured to access at least one data connection of a number of different types of data connections;

a data processor configured to run at least one software application, wherein said at least one data connection is usable ~~can be used~~ by said at least one software application;

an obtainer configured to obtain properties related to said at least one data connection;

a storer configured to store pre-configured configurations of said at least one software application for said at least one accessible data connection, and

an adapter configured to adapt in a mobile terminal device ~~a connectivity configuration of~~ at least one software application running on said data processor by configuring it in one of pre-configured configurations, according to said obtained at least one property ~~properties~~ of one of

said at least one data connection, wherein said ~~connectivity~~ pre-configured configuration relates to a use of said at least one data connection by said at least one software application.

22. (Previously Presented) Apparatus according to claim 21, further comprising a selector configured to select one of said at least one accessible data connections.

23-25. (CANCELED)

26. (New) Method according to claim 1, wherein:
said adaption is executed if said application requires to transfer data.

27. (New) Method according to claim 1, further comprising:
adapting said at least one software application by configuring it in one of a number of pre-configured configurations device in accordance with an actual battery condition of said mobile terminal device.

28. (New) Apparatus according to claim 13, further comprising means for adapting said at least one software application, if said at least one software application requires transferring data.

29. (New) Apparatus according to claim 13, further comprising means for adapting said at least one software application by configuring it in one of a number of pre-configured configurations device in accordance with an actual battery condition of said mobile terminal device.

30. (New) Apparatus according to claim 21, wherein said data processor is configured to execute said adaption if a data transfer is actually required by said application.

31. (New) Apparatus according to claim 21, wherein said data processor is configured for adapting said at least one software application by configuring it in one of a number of pre-configured configurations device in accordance with an actual battery condition of said mobile terminal device.